



REAL TIME MEANS REAL CHANGE NVIDIA QUADRO RTX 4000

Experience Real Time Ray Tracing in a Single Slot Form Factor.

Meet the challenge of today's demanding professional workflows with NVIDIA® Quadro RTX™ 4000, powered by NVIDIA Turing™ architecture and the NVIDIA RTX™ platform. The NVIDIA Quadro RTX 4000 delivers GPU accelerated ray tracing, deep learning, and advanced shading in an accessible single slot form factor. It gives designers the power to accelerate their creative efforts with faster time to insight and faster time to solution. Equipped with 2304 CUDA® cores, 288 Tensor Cores, 36 RT cores and 8 GB GDDR6 memory, the Quadro RTX 4000 is designed to manage the most intensive AEC, DCC, AI, VR and graphics workloads. And with the industry's first implementation of the all-new VirtualLink¹, Quadro RTX 4000 provides simplified connectivity to next-generation, high-resolution VR head-mounted displays, letting designers work in the most compelling virtual environments.

Quadro is certified with a broad range of sophisticated professional applications, tested by leading workstation manufacturers, and backed by a global team of NVIDIA support specialists so you can focus on doing your best work. Whether you're developing revolutionary products or telling spectacularly vivid visual stories, do it brilliantly with Quadro performance.

FEATURES

- > Three DisplayPort 1.4 Connectors
- > VirtualLink Connector¹
- > DisplayPort with Audio
- > VGA Support²
- > 3D Stereo Support with Stereo Connector²
- > NVIDIA GPUDirect™ Support
- > Quadro Sync II³ Compatibility
- > NVIDIA nView® Desktop Management Software
- > HDCP 2.2 Support
- > NVIDIA Mosaic⁴



SPECIFICATIONS

GPU Memory	8 GB GDDR6
Memory Interface	256-bit
Memory Bandwidth	Up to 416 GB/s
NVIDIA CUDA® Cores	2304
NVIDIA Tensor Cores	288
NVIDIA RT Cores	36
Single-Precision Performance	7.1 TFLOPS
Tensor Performance	57.0 TFLOPS
System Interface	PCI Express 3.0 x16
Power Consumption	Total board power: 160 W Total graphics power: 125 W
Thermal Solution	Active
Form Factor	4.4" H x 9.5" L, Single Slot
Display Connectors	3xDP 1.4, 1x USB-C
Max Simultaneous Displays	4x 3840x2160 @ 120 Hz 4x 5120x2880 @ 60 Hz 2x 7680x4320 @ 60 Hz
VR Ready	Yes
Graphics APIs	Shader Model 5.1⁵, OpenGL 4.6⁶, DirectX 12.0⁵, Vulkan 1.1⁶
Compute APIs	CUDA, DirectCompute, OpenCL™

To learn more about the NVIDIA Quadro RTX 4000, visit www.nvidia.com/quadro

¹ In preparation for the emerging VirtualLink standard, Turing GPUs have implemented hardware support according to the "VirtualLink Advance Overview". To learn more about VirtualLink, please see www.virtuallink.org | ² Via adapter/connector/bracket
³ Quadro Sync II card sold separately | ⁴ Windows 7, 8, 8.1, 10 and Linux | ⁵ GPU supports DX 12.0 API, Hardware Feature Level 12_1
⁶ Product is based on a published Khronos Specification, and is expected to pass the Khronos Conformance Testing Process when available. Current conformance status can be found at www.khronos.org/conformance

© 2019 NVIDIA Corporation. All rights reserved. NVIDIA, the NVIDIA logo, Quadro, nView, CUDA, and NVIDIA Turing are trademarks and/or registered trademarks of NVIDIA Corporation in the U.S. and other countries. OpenCL is a trademark of Apple Inc. used under license from the Khronos Group Inc. All other trademarks and copyrights are the property of their respective owners.